Mobius 2-Bay: Firmware update for 8TB (per bay) compatibility.

- 1. Download the firmware update: <u>http://oyendigital.com/tech/firmware/Mobius_2Bay_8TB_040516.zip</u>
- 2. Extract the contents of the zip file.
- **3.** Insert a drive into the Mobius 2-Bay and connect the Mobius to a Windows computer using USB. Open the tool: FwUpdateTool_v1_19_16_24.exe



4. Select "RD Version" and "Erase All Flash Only". Press "Run".

👰 JM2033x	FW Update Utility	y v1.19 – 🗆 🗙
Chip	JMS562 Series	
UASP DISK	< <uasp>> ST9500423</uasp>	AS 👤
Firmware File	D:\HDR (20140919)	\FW\Jmicron 6G系列-FW\
Drives		Load File
Firmware Ver.	31.11.01.04	
Flash Type	ESMT	
Status	Run 3	Exit
Frase All Fl	Buffer Check Ch	ieckSum
Backup Ok	I Firmware Only 🔲 Co V Sel	ntrol Two Flashes tting ProductSN(In-Code)
		Browse
Backup File	Name	

5. After completed, it will show the following:



6. Uncheck both "Erase All Flash Only" and the "RD Version" option:

👰 JM2033x FW Update Uti	lity v1.19 🗕 🗖 💌
Chip JMS562 Series	
USB DISK < <usb>> JMicron</usb>	-
Firmware File	
Drives	Load File
Firmware Ver. Internal code	
Flash Type ESMT	_
Status	Exit
Read/Write Buffer Check	CheckSum
Backup Old Firmware Only	Control Two Flashes Setting ProductSN(In-Code)
	Browse
Backup FileName	

19 – 🗆 🗙
-
Load File
Exit

7. Select "Load File" and browse to 'jms562_v031.021.001.004': (Make sure the Firmware version shows "Internal code" before you update the new FW. If not, please restart the device)

Chip	JMS562 Series		
USB DISK	< <usb>> JMicron</usb>		•
Firmware File	jms56_v031.02	L.001.004	
Drives			oad File
Firmware Ver.	Internal code		
Flash Type	ESMT		
Status			
	Bun	Exit	

8. Press "Run" to start the FW update.

🔞 JM2033x	FW Update Utility v1.19
Chip	JMS562 Series
USB DISK	< <usb>> JMicron</usb>
Firmware File	jms56_v031.021.001.004
Drives	Load File
Firmware Ver.	Internal code
Flash Type	ESMT
Status	
RD Version	Run Exit



 $9. \ \ \, \text{After the update is complete, it will show the following:}$

Chip	UMS562 Series	
USB DISK	< <usb>> ST9500423AS</usb>	
Firmware File	G:\JMicron_6G\OYEN 1329R9	SUSI3-6G\OYEN版
Drives		Load File
Firmware Ver.	31.21.01.04	
Flash Type	ESMT	
Status		